

HPD UNIQUE IDENTIFIER: 31763

CLASSIFICATION: 12 21 00 Window Blinds

PRODUCT DESCRIPTION: Verosol SilverScreen 202 and 205. Metallized Screen fabric for roller blinds / roller shades. Combines a very high reflectance of heat from sunlight with a good (one-way) view through. Provides heat insulation thanks to the low-emissivity coating. Made out of PVC-coated glass fiber yarns. Flame retardant.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and For all contents above the threshold, the manufacturer has: Characterized, Screened, Identified. Includes radio button options for Yes/No.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

VEROSOL SILVERSCREEN 202 + 205 [ FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK POLYVINYL CHLORIDE (PVC) LT-P1 | MAM 1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR LT-UNK POLYURETHANE LT-P1 | EYE | MAM | AQU BARIUM ZINC COMPLEX NoGS BIS(2-ETHYLHEXYL) TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS)) BM-3dg ANTIMONY TRIOXIDE BM-1 | MUL | CAN | SKI | EYE | MAM | AQU 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END | AQU POLYDIMETHYLSILOXANES LT-P1 | PBT ALUMINUM BM-1 | END | MAM | PHY ]

Number of Greenscreen BM-4/BM3 contents ... 1  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Blind / Shading fabric based on a woven structure of PVC-coated glass fibers with a reflective aluminum coating. SilverScreen is compliant to: REACH, Greenguard Gold, ISO14001 and RoHS2.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified  
Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals  
Management: ISO 14001:2004 Environmental management systems  
Multi-attribute: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4.1 Option 1.

Summary table with 3 columns: Third Party Verified? (radio buttons), PREPARER: Self-Prepared, VERIFIER: VERIFICATION #: SCREENING DATE: 2023-03-15, PUBLISHED DATE: 2023-03-15, EXPIRY DATE: 2026-03-15



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### VEROSOL SILVERSCREEN 202 + 205

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals common for plasticized PVC are not considered.

OTHER PRODUCT NOTES: n.a.

#### FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT $\leq 18$ % BY WEIGHT

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-15 2:42:45

%, 35.0000 - 40.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: Continuous filament fibrous glass. Diameter > 6 micron

#### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-15 2:42:45

%, 36.0000 - 40.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2022  Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The PVC is used as a coating fully covering the fibre glass yarns

**1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR**

ID: 68515-45-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-15 2:42:46**

%: **10.0000 - 20.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Bisphenols and Phthalates

SUBSTANCE NOTES: This substance is solely composed of Dinonyl Phthalate, also known as L9P. This substance does not contain Diisononyl Phthalate, commonly referred to as DINP. Dinonyl Phthalate (L9P) is not identified as hazardous on any regulatory list (e.g. Prop 65).

**POLYURETHANE**

ID: 64440-88-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-15 2:42:47**

%: **1.0000 - 5.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Aquous Polyurethane Dispersion

#### BARIUM ZINC COMPLEX

ID: **Not registered**

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE:	2023-03-15 2:42:47	
%: <b>1.0000 - 3.0000</b>	GreenScreen: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Heat or UV stabilizer</b>	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
None found		No listings found on Additional Hazard Lists			

SUBSTANCE NOTES:

#### BIS(2-ETHYLHEXYL) TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS))

ID: **6422-86-2**

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE:	2023-03-15 2:42:45	
%: <b>0.5000 - 3.0000</b>	GreenScreen: <b>BM-3dg</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals			
		Some Solvents			

**SUBSTANCE NOTES:** This substance covers the range of all pigments used in the PVC Coating. All pigments are dispersed in DOTP (CAS # 6422-86-2). CAS # 1314-98-3 is an example of a white pigment. All pigments are compliant with REACH, Red List, and Prop 65 programs.

**ANTIMONY TRIOXIDE**

ID: 1309-64-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-15 2:42:46**

%: **0.6000 - 1.1000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
AQU	GHS - Korea	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Korea	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products

**SUBSTANCE NOTES:** The Antimony Trioxide flame retardant is bonded with the PVC coating. All associated health risks are based on contact with the powder form during manufacture of the raw ingredient and do not indicate health risks associated with contact of the final product.

### 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-15 2:42:46		
%: 0.3000 - 0.9000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Some Solvents		

**SUBSTANCE NOTES:** In the final product, this plasticizer is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

### POLYDIMETHYLSILOXANES

ID: 63148-62-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-15 2:42:47		
%: 0.3000 - 0.8000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: In the final product, this lubricant is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.		

## ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-15 2:42:48**

%: **0.1000 - 0.5000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Reflectance**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - New Zealand	Flammable solids category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES: High purity metallic aluminum coating applied by Physical Vapor Deposition. Adhesion according to ISO 2409 classification 0 (no detachment of coating)





## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

<b>VOC EMISSIONS</b>	<b>UL/GreenGuard Gold Certified</b>	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: <a href="https://spot.ul.com/">https://spot.ul.com/</a>	ISSUE DATE: 2008-09-15 EXPIRY DATE:	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: Certificate 5451-420. This certificate is annually prolonged in August.		
<b>MULTI-ATTRIBUTE</b>	<b>REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals</b>	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: all CERTIFICATE URL: <a href="https://echa.europa.eu">https://echa.europa.eu</a>	ISSUE DATE: 2019-10-10 EXPIRY DATE:	CERTIFIER OR LAB: none
CERTIFICATION AND COMPLIANCE NOTES:		
<b>MANAGEMENT</b>	<b>ISO 14001:2004 Environmental management systems</b>	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: all CERTIFICATE URL: <a href="https://www.tuv.com">https://www.tuv.com</a>	ISSUE DATE: 2008-02-20 EXPIRY DATE:	CERTIFIER OR LAB: Tuv Rheinland
CERTIFICATION AND COMPLIANCE NOTES: This certificate is annually prolonged in February.		
<b>MULTI-ATTRIBUTE</b>	<b>ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive</b>	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: all CERTIFICATE URL:	ISSUE DATE: 2019-12-19 EXPIRY DATE:	CERTIFIER OR LAB: none
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### **MAINTENANCE**

MANUFACTURER (OR GENERIC): **Kvadrat Shade**

HPD URL: <https://www.kvadrat.dk/en/kvadrat-shade>

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Maintenance: Dust can be removed with a soft feather duster or by vacuum-cleaning with a soft brush at lowest position. When intensive cleaning is required, the coloured side can be cleaned with a wet cloth.

## Section 5: General Notes

Verosol Silverscreen 202 and 205 distinguishes itself from competitor products with:

- highest solar reflectance
- low-E coating
- great performance
- clear view-through and robust look and feel
- high energy saving potential and visual comfort.

- meets the highest fire safety standards

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Verosol  
**ADDRESS:** Kieft 18  
 Eibergen Gelderland 7151HZ, The Netherlands  
**WEBSITE:** [www.kvadrat.dk/en/kvadrat-shade](http://www.kvadrat.dk/en/kvadrat-shade)

**CONTACT NAME:** Robert Kuipers  
**TITLE:** manager R&D  
**PHONE:** +31545463333  
**EMAIL:** [r.kuipers@kvadratshade.com](mailto:r.kuipers@kvadratshade.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*