

HPD UNIQUE IDENTIFIER: 1234896896

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: "Graphite" is a roller blind textile made from recycled polyester textiles. (Tex-to-Tex). The reflective aluminium coating improves the shading properties. "Graphite" textile is complaint to the highest flame retardant standard.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	For all contents above the threshold, the manufacturer has:
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<input checked="" type="radio"/> Yes <input type="radio"/> No
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<i>Characterized</i>
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b> <input type="radio"/> Yes <input checked="" type="radio"/> No	<i>Provided weight and role.</i>
<input checked="" type="radio"/> Product			<input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Screened</i>
			<i>Provided screening results using HPDC-approved methods.</i>
			<input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Identified</i>
			<i>Provided name and CAS RN or other identifier.</i>

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

##### GREENSCREEN SCORE | HAZARD TYPE

**GRAPHITE** [ POLYETHYLENE TEREPHTHALATE (PET) ] **LT-P1**

**POLYURETHANE** **LT-P1** | MAM | EYE | AQU **UNDISCLOSED** **NoGS**

**ALUMINUM** **BM-1** | END | MAM | PHY ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Disperse dyes for polyester textiles are not considered.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

#### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

Management: ISO 14001:2004 Environmental management systems

Multi-attribute: OEKO-TEX Standard 100

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes  
 No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2024-07-15

PUBLISHED DATE: 2024-07-15  
EXPIRY DATE: 2027-07-15



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### GRAPHITE

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and dyes common for polyester fabrics are not considered.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: [www.kvadrat.dk](http://www.kvadrat.dk)

### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-07-15 7:02:21

%: 95.0000 - 98.0000 GreenScreen: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Woven textile from recycled polyester yarns out of textile waste:

40% post-consumer + 60% pre-consumer.

### POLYURETHANE

ID: 64440-88-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-07-15 7:02:22

%: 1.0000 - 5.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyurethane Dispersion. Residual and impurities were screened using the toxnet database (<https://toxnet.nlm.nih.gov>). None were noted.

## UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-07-15 7:02:22</b>		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Flame Retardants		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database. None were noted.

## ALUMINUM

ID: **7429-90-5**

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-07-15 7:02:23</b>		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
<b>0.1000 - 0.2000</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Reflectance</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES: High purity metallic aluminum coating applied by physical vapor deposition. This high purity aluminum is free of impurities to 0.01%.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

#### UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party	ISSUE DATE: 2020-12-10 00:00:00	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		

CERTIFICATION AND COMPLIANCE NOTES: As the Greenguard certification is renewed annually there has not been set an expiry date.

### MULTI-ATTRIBUTE

#### REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CERTIFYING PARTY: Self-declared	ISSUE DATE: 2018-06-19 00:00:00	CERTIFIER OR LAB: none
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: <a href="https://echa.europa.eu/home">https://echa.europa.eu/home</a>		

CERTIFICATION AND COMPLIANCE NOTES:

### MANAGEMENT

#### ISO 14001:2004 Environmental management systems

CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-02-01 00:00:00	CERTIFIER OR LAB: Tuv Rheinland
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		

CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.

### MULTI-ATTRIBUTE

#### OEKO-TEX Standard 100

CERTIFYING PARTY: Third Party	ISSUE DATE: 2008-03-31 00:00:00	CERTIFIER OR LAB: Hohenstein
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: <a href="https://www.oeko-tex.com">https://www.oeko-tex.com</a>		

CERTIFICATION AND COMPLIANCE NOTES: OEKO-TEX Standard 100 Class IV Certificate 15.HNL.57853. This certificate is annually prolonged in March.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### HARDWARE FOR ROLLER BLIND

MANUFACTURER (OR GENERIC): Kvadrat Shade

HPD URL: No HPD available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The hardware is required for all installations. The hardware consist of different parts and the composition is as described: Cassette profile is 100% aluminum alloy, anodized or powder-coated. End caps are 100% zamak, anodized or powder-coated. Thin plastic line (aka coloured trim) is 100% ABS. Bottom bar is 100% aluminum alloy, anodized or powder-coated. Chain is stainless steel.

## Section 5: General Notes

"Graphite" is a roller blind textile

- made from 60% pre-consumer and 40% post-consumer polyester textile.
- single-sided metallized with aluminium for improved shading properties

- meets the highest fire safety standards

## MANUFACTURER INFORMATION

MANUFACTURER: **Kvadrat A/S**

ADDRESS: **Kvadrat High Performance Textiles**

**Kiefte 18**

**Eibergen, Gelderland 7151HZ**

COUNTRY: **Netherlands**

WEBSITE: <https://www.kvadrat.dk/en/kvadrat-shade>

CONTACT NAME: **Robert Kuipers**

TITLE: **Research & Development**

PHONE: **+31545463333**

EMAIL: [r.kuipers@kvadratshade.com](mailto:r.kuipers@kvadratshade.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

**AQU** Aquatic toxicity

**LAN** Land toxicity

**PHY** Physical hazard (flammable or reactive)

**CAN** Cancer

**MAM** Mammalian/systemic/organ toxicity

**REP** Reproductive

**DEV** Developmental toxicity

**MUL** Multiple

**RES** Respiratory sensitization

**END** Endocrine activity

**NEU** Neurotoxicity

**SKI** Skin sensitization/irritation/corrosivity

**EYE** Eye irritation/corrosivity

**NF** Not found on Priority Hazard Lists

**UNK** Unknown

**GEN** Gene mutation

**OZO** Ozone depletion

**GLO** Global warming

**PBT** Persistent, bioaccumulative, and toxic

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**LT-P1** List Translator Possible 1 (Possible Benchmark-1)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**LT-1** List Translator 1 (Likely Benchmark-1)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**LT-UNK** List Translator Benchmark Unknown

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**NoGS** No GreenScreen.

**BM-U** Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

**PreC** Pre-consumer recycled content

**PostC** Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

for compliance with the HPD standard noted.